## IN THE CLAIMS

The status of each claim in the application is provided below.

Claims 1-124: Canceled.

## 125. (Currently Amended) A compound represented by formula (I):

$$X = \begin{pmatrix} 1 & O & N + R^{1} & R^{3} \\ N & 2 & N + C - N & R^{4} \\ N & 3 & N + R^{2} \end{pmatrix}$$

$$(I)$$

wherein

X is hydrogen, halogen, trifluoromethyl, lower alkyl, unsubstituted or substituted phenyl, lower alkyl-thio, phenyl-lower alkyl-thio, lower alkyl-sulfonyl, or phenyl-lower alkyl-sulfonyl;

Y is hydrogen, hydroxyl, mercapto, lower alkoxy, lower alkyl-thio, halogen, lower alkyl, unsubstituted or substituted mononuclear aryl, or  $-N(R^2)_2$ ;

R<sup>1</sup> is hydrogen or lower alkyl;

each  $R^2$  is, independently,  $-R^7$ ,  $-(CH_2)_m$ -OR<sup>8</sup>,  $-(CH_2)_m$ -NR<sup>7</sup>R<sup>10</sup>,  $-(CH_2)_n(CHOR^8)(CHOR^8)_n$ -CH<sub>2</sub>OR<sup>8</sup>,  $-(CH_2CH_2O)_m$ -R<sup>8</sup>,

 $-(CH_{2}CH_{2}O)_{m}-CH_{2}CH_{2}NR^{7}R^{10}, -(CH_{2})_{n}-C(=O)NR^{7}R^{10}, -(CH_{2})_{n}-Z_{g}-R^{7}, -(CH_{2})_{m}-NR^{10}-CH_{2}(CHOR^{8})(CHOR^{8})_{n}-CH_{2}OR^{8}, -(CH_{2})_{n}-CO_{2}R^{7}, or$ 

$$--(CH_2)_{\overline{n}}$$
 $Q$ 
 $R^7$ 
 $R^7$ 
 $R^7$ 
 $R^7$ 

R<sup>3</sup> and R<sup>4</sup> are each, independently, hydrogen, a group represented by formula (A), lower alkyl, hydroxy lower alkyl, phenyl-lower alkyl, (halophenyl)-lower alkyl, lower-(alkylphenylalkyl), lower (alkoxyphenyl)-lower alkyl, naphthyl-lower alkyl, or pyridyl- lower alkyl, with the proviso that at least one of R<sup>3</sup> and R<sup>4</sup> is a group represented by formula (A):

$$\begin{array}{c} \longrightarrow (C(R^L)_2)_0 \longrightarrow x \longrightarrow (C(R^L)_2)_p \longrightarrow Q \longrightarrow Q \\ Q \longrightarrow Q \longrightarrow (R^6)_2 \end{array}$$
 (A)

$$\begin{bmatrix} & & & & & & & \\ & & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\$$

wherein

$$-(CH_2)_n-NR^{10}-CH_2(CHOR^8)(CHOR^8)_n-CH_2OR^8$$

-(CH<sub>2</sub>)<sub>n</sub>-CO<sub>2</sub>R<sup>7</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-CO<sub>2</sub>R<sup>7</sup>, -OSO<sub>3</sub>H, -O-glucuronide, -O-glucose,

$$-O + CH_2 + O + R^7$$

$$R^7 \qquad O + CH_2 = O + R^7$$

$$R^7 \qquad O + R^7$$

$$R^7 \qquad O + CH_2 = O + R^7$$

$$R^7 \qquad O + CH_2 = O + R^7$$

each o is, independently, an integer from 0 to 10;

each p is an integer from 0 to 10;

with the proviso that the sum of o and p in each contiguous chain is from 1 to 10;

each x is, independently, O, NR<sup>10</sup>, C(=O), CHOH, C(=N-R<sup>10</sup>),

CHNR<sup>7</sup>R<sup>10</sup>, or represents a single bond;

each R<sup>5</sup> is, independently, -(CH<sub>2</sub>)<sub>m</sub>-OR<sup>8</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-OR<sup>8</sup>,

$$-(CH_2)_n-NR^7R^{10}$$
,  $-O-(CH_2)_m-NR^7R^{10}$ ,  $-(CH_2)_n(CHOR^8)(CHOR^8)_n-CH_2OR^8$ ,

$$-O-(CH_2)_m(CHOR^8)(CHOR^8)_n-CH_2OR^8$$
,  $-(CH_2CH_2O)_m-R^8$ ,

$$-O-(CH_2CH_2O)_m-CH_2CH_2NR^7R^{10}$$
,  $-(CH_2)_n-C(=O)NR^7R^{10}$ ,

$$-O-(CH_2)_m-C(=O)NR^7R^{10}$$
,  $-(CH_2)_n-(Z)_g-R^7$ ,  $-O-(CH_2)_m-(Z)_g-R^7$ ,

$$-O-(CH_2)_m-NR^{10}-CH_2(CHOR^8)(CHOR^8)_n-CH_2OR^8$$
,

$$-O + CH_2 + O + R^7$$

$$O + O + CH_2 + O + R^7$$

$$O + O + O + CH_2 + O + CH_2$$

each  $R^6$  is, independently,  $-R^7$ ,  $-OR^{11}$ ,  $-N(R^7)_2$ ,  $-(CH_2)_m$ - $OR^8$ ,

-O- $(CH_2)_m$ -OR<sup>8</sup>, - $(CH_2)_n$ -NR<sup>7</sup>R<sup>10</sup>, -O- $(CH_2)_m$ -NR<sup>7</sup>R<sup>10</sup>,

-(CH<sub>2</sub>)<sub>n</sub>(CHOR<sup>8</sup>)(CHOR<sup>8</sup>)n-CH<sub>2</sub>OR<sup>8</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>(CHOR<sup>8</sup>)(CHOR<sup>8</sup>)<sub>n</sub>-CH<sub>2</sub>OR<sup>8</sup>,

-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-R<sup>8</sup>, -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-R<sup>8</sup>, -(CH<sub>2</sub>CH<sub>2</sub>O)m-CH<sub>2</sub>CH<sub>2</sub>NR<sup>7</sup>R<sup>10</sup>,

-O- $(CH_2CH_2O)_m$ - $CH_2CH_2NR^7R^{10}$ , - $(CH_2)_n$ - $C(=O)NR^7R^{10}$ ,

 $-O-(CH_2)_m-C(=O)NR^7R^{10}, -(CH_2)_n-(Z)_g-R^7, -O-(CH_2)_m-(Z)_g-R^7,$ 

 $-(CH_2)_n-NR^{10}-CH_2(CHOR^8)(CHOR^8)_n-CH_2OR^8$ ,

-O-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>10</sup>-CH<sub>2</sub>(CHOR<sup>8</sup>)(CHOR<sup>8</sup>)<sub>n</sub>-CH<sub>2</sub>OR<sup>8</sup>,

-(CH<sub>2</sub>)<sub>n</sub>-CO<sub>2</sub>R<sup>7</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-CO<sub>2</sub>R<sup>7</sup>, -OSO<sub>3</sub>H, -O-glucuronide, -O-glucose,

$$-O + CH_2 \longrightarrow O \longrightarrow R^7$$

$$R^7 \longrightarrow O \longrightarrow R^7$$

$$R^7 \longrightarrow O \longrightarrow R^7$$

$$R^7 \longrightarrow O \longrightarrow R^7$$

wherein when two  $R^6$  are  $-OR^{11}$  and are located adjacent to each other on a phenyl ring, the alkyl moieties of the two  $R^6$  may be bonded together to form a methylenedioxy group;

each  $R^7$  is, independently, hydrogen or lower alkyl; each  $R^8$  is, independently, hydrogen, lower alkyl, -C(=O)- $R^{11}$ , glucuronide, 2-tetrahydropyranyl, or

each  $R^9$  is, independently,  $-CO_2R^7$ ,  $-CON(R^7)_2$ ,  $-SO_2CH_3$ , or  $-C(=O)R^7$ ; each  $R^{10}$  is, independently, -H,  $-SO_2CH_3$ ,  $-CO_2R^7$ ,  $-C(=O)NR^7R^9$ ,

 $-C(=O)R^7$ , or  $-CH_2-(CHOH)_n-CH_2OH$ ;

each Z is, independently, CHOH, C(=O), CHNR<sup>7</sup>R<sup>10</sup>, C=NR<sup>10</sup>, or NR<sup>10</sup>; each  $R^{11}$  is, independently, lower alkyl;

each g is, independently, an integer from 1 to 6;

each m is, independently, an integer from 1 to 7;

each n is, independently, an integer from 0 to 7;

each Q is, independently, C-R<sup>5</sup>, C-R<sup>6</sup>, or a nitrogen atom, wherein two Q in a ring are nitrogen atoms;

or a pharmaceutically acceptable salt thereof, and inclusive of all enantiomers, diastereomers, and racemic mixtures thereof.

126. (Original) The compound of Claim 125, wherein Y is -NH<sub>2</sub>.

- 127. (Original) The compound of Claim 126, wherein R<sup>2</sup> is hydrogen.
- 128. (Original) The compound of Claim 127, wherein R<sup>1</sup> is hydrogen.
- 129. (Original) The compound of Claim 128, wherein X is chlorine.
- 130. (Original) The compound of Claim 129, wherein R<sup>3</sup> is hydrogen.
- 131. (Original) The compound of Claim 130, wherein each R<sup>L</sup> is hydrogen.
- 132. (Original) The compound of Claim 131, wherein o is 4.
- 133. (Original) The compound of Claim 132, wherein p is 0.
- 134. (Original) The compound of Claim 133, wherein x represents a single bond.
- 135. (Original) The compound of Claim 134, wherein each R<sup>6</sup> is hydrogen.
- 136. (Original) The compound of Claim 135, wherein  $R^5$  is -(CH<sub>2</sub>)<sub>m</sub>-OR<sup>8</sup>.
- 137. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>)<sub>m</sub>-OR<sup>8</sup>.
- 138. (Original) The compound of Claim 135, wherein  $R^5$  is  $-(CH_2)_n-NR^7R^{10}$ .
- 139. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>7</sup>R<sup>10</sup>.

- 140. (Original) The compound of Claim 135, wherein  $R^5$  is  $(CH_2)_n(CHOR^8)(CHOR^8)_n-CH_2OR^8$ .
- 141. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>)<sub>m</sub>(CHOR<sup>8</sup>)<sub>n</sub>-CH<sub>2</sub>OR<sup>8</sup>.
  - 142. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-R<sup>8</sup>.
  - 143. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-R<sup>8</sup>.
- 144. (Original) The compound of Claim 135, wherein  $R^5$  is -(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-CH<sub>2</sub>CH<sub>2</sub>NR<sup>7</sup>R<sup>10</sup>.
- 145. (Original) The compound of Claim 135, wherein  $R^5$  is -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-CH<sub>2</sub>CH<sub>2</sub>NR<sup>7</sup>R<sup>10</sup>.
  - 146. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -(CH<sub>2</sub>)<sub>n</sub>-C(=O)NR<sup>7</sup>R<sup>10</sup>.
- 147. (Original) The compound of Claim 135, wherein  $R^5$  is -O-(CH<sub>2</sub>)<sub>m</sub>-C(=O)NR<sup>7</sup>R<sup>10</sup>.
  - 148. (Original) The compound of Claim 135, wherein  $R^5$  is  $-(CH_2)_n (Z)_g R^7$ .
  - 149. (Original) The compound of Claim 135, wherein  $R^5$  is -O-(CH<sub>2</sub>)<sub>m</sub>-(Z)<sub>g</sub>- $R^7$ .

- 150. (Original) The compound of Claim 135, wherein  $R^5$  is- $(CH_2)_n$ - $NR^{10}$ - $CH_2(CHOR^8)(CHOR^8)_n$ - $CH_2OR^8$ .
- 151. (Original) The compound of Claim 135, wherein  $R^5$  is -O-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>10</sup>-CH<sub>2</sub>(CHOR<sup>8</sup>)(CHOR<sup>8</sup>)<sub>n</sub>-CH<sub>2</sub>OR<sup>8</sup>.
  - 152. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>)<sub>m</sub>-CO<sub>2</sub>R<sup>7</sup>.
  - 153. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -OSO<sub>3</sub>H.
  - 154. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -O-glucuronide.
  - 155. (Original) The compound of Claim 135, wherein R<sup>5</sup> is -O-glucose.
  - 156. (Original) The compound of Claim 135, wherein R<sup>5</sup> is

$$-O \leftarrow CH_2$$
 $R^7$ 
 $R^7$ 

157. (Original) The compound of Claim 135, wherein R<sup>5</sup> is

$$-(CH_2)_n$$
 $R^7$ 
 $R^7$ 

## 158. (Original) The compound of Claim 135, wherein R<sup>5</sup> is

- 159. (Original) The compound of Claim 135, wherein  $R^5$  is  $-(CH_2)_n-CO_2R^7$ .
- 160. (Original) The compound of Claim 125, wherein

X is halogen;

Y is  $-N(R^7)_2$ ;

R<sup>1</sup> is hydrogen or C<sub>1</sub>-C<sub>3</sub> alkyl;

 $R^2$  is  $-R^7$ ,  $-(CH_2)_m$ -OR<sup>8</sup>, or  $-(CH_2)_n$ -CO<sub>2</sub>R<sup>7</sup>;

R<sup>3</sup> is a group represented by formula (A); and

R<sup>4</sup> is hydrogen, a group represented by formula (A), or lower alkyl.

161. (Original) The compound of Claim 160, wherein

X is chloro or bromo;

Y is  $-N(R^7)_2$ ;

R<sup>2</sup> is hydrogen or C<sub>1</sub>-C<sub>3</sub> alkyl;

at most three  $R^6$  are other than hydrogen as defined above; and at most three  $R^L$  are other than hydrogen as defined above.

- 162. (Original) The compound of Claim 161, wherein Y is -NH<sub>2</sub>.
- 163. (Original) The compound of Claim 162, wherein  $R^4$  is hydrogen; at most one  $R^L$  is other than hydrogen as defined above; and at most two  $R^6$  are other than hydrogen as defined above.
- 164. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -(CH<sub>2</sub>)<sub>m</sub>-OR<sup>8</sup>.
- 165. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>)<sub>m</sub>-OR<sup>8</sup>.
- 166. (Original) The compound of Claim 125, wherein  $R^5$  is  $-(CH_2)_n-NR^7R^{10}$ .
- 167. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>7</sup>R<sup>10</sup>.
- 168. (Original) The compound of Claim 125, wherein  $R^5$  is  $(CH_2)_n(CHOR^8)(CHOR^8)_n-CH_2OR^8$ .
- 169. (Original) The compound of Claim 125, wherein  $R^5$  is  $-O-(CH_2)_m(CHOR^8)(CHOR^8)_n-CH_2OR^8.$ 
  - 170. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-R<sup>8</sup>.
  - 171. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-R<sup>8</sup>.

- 172. (Original) The compound of Claim 125, wherein  $R^5$  is -(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-CH<sub>2</sub>CH<sub>2</sub>NR<sup>7</sup>R<sup>10</sup>.
- 173. (Original) The compound of Claim 125, wherein  $R^5$  is -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>m</sub>-CH<sub>2</sub>CH<sub>2</sub>NR<sup>7</sup>R<sup>10</sup>.
  - 174. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -(CH<sub>2</sub>)<sub>n</sub>-C(=O)NR<sup>7</sup>R<sup>10</sup>.
- 175. (Original) The compound of Claim 125, wherein  $R^5$  is -O-(CH<sub>2</sub>)<sub>m</sub>-C(=O)NR<sup>7</sup>R<sup>10</sup>.
  - 176. (Original) The compound of Claim 125, wherein  $R^5$  is  $-(CH_2)_n-(Z)_g-R^7$ .
  - 177. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>)<sub>m</sub>-(Z)<sub>g</sub>-R<sup>7</sup>.
- 178. (Original) The compound of Claim 125, wherein  $R^5$  is -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>10</sup>-CH<sub>2</sub>(CHOR<sup>8</sup>)<sub>n</sub>-CH<sub>2</sub>OR<sup>8</sup>.
- 179. (Original) The compound of Claim 125, wherein  $R^5$  is -O-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>10</sup>-CH<sub>2</sub>(CHOR<sup>8</sup>)(CHOR<sup>8</sup>)<sub>n</sub>-CH<sub>2</sub>OR<sup>8</sup>.
  - 180. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -O-(CH<sub>2</sub>)<sub>m</sub>-CO<sub>2</sub>R<sup>7</sup>.
  - 181. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -OSO<sub>3</sub>H.

182. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -O-glucuronide.

183. (Original) The compound of Claim 125, wherein R<sup>5</sup> is -O-glucose.

184. (Original) The compound of Claim 125, wherein R<sup>5</sup> is

$$-O + CH_2$$
 $R^7$ 

185. (Original) The compound of Claim 125, wherein R<sup>5</sup> is

$$-(CH_2)_n - R^7$$

186. (Original) The compound of Claim 125, wherein R<sup>5</sup> is

187. (Original) The compound of Claim 125, wherein  $R^5$  is  $-(CH_2)_n-CO_2R^7$ .

188. (Original) The compound of Claim 125, wherein x is a single bond.

189. (Original) The compound of Claim 125, which is in the form of a pharmaceutically acceptable salt.

- 190. (Original) The compound of Claim 125, which is in the form of a hydrochloride salt.
  - 191. (Original) The compound of Claim 125, which is in the form of a mesylate salt.
- 192. (Original) The compound of Claim 125, wherein  $R^5$  is selected from the group consisting of

-O-(CH<sub>2</sub>)<sub>3</sub>-OH, -NH<sub>2</sub>, -O-CH<sub>2</sub>-(CHOH)<sub>2</sub>-CH<sub>2</sub>OH, -O-CH<sub>2</sub>-CHOH-CH<sub>2</sub>OH,

-O-CH<sub>2</sub>CH<sub>2</sub>-O-tetrahydropyran-2-yl, -O-CH<sub>2</sub>CHOH-CH<sub>2</sub>-O-glucuronide,

-O-CH<sub>2</sub>CH<sub>2</sub>OH, -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>4</sub>-CH<sub>3</sub>, -O-CH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub>,

-O-CH<sub>2</sub>-(CHOC(=O)CH<sub>3</sub>)-CH<sub>2</sub>-OC(=O)CH<sub>3</sub>, -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>2</sub>-CH<sub>3</sub>,

-OCH<sub>2</sub>-CHOH-CHOH-CH<sub>2</sub>OH, -CH<sub>2</sub>OH, -CO<sub>2</sub>CH<sub>3</sub>,

$$-O + CH_2$$
 $R^7$ 

and

193. (Original) The compound of Claim 125, wherein R<sup>5</sup> is selected from the group consisting of para -O-(CH<sub>2</sub>)<sub>3</sub>-OH, para -NH<sub>2</sub>, para -O-CH<sub>2</sub>-(CHOH)<sub>2</sub>-CH<sub>2</sub>OH, ortho -O-CH<sub>2</sub>-CHOH-CH<sub>2</sub>OH, meta -O-CH<sub>2</sub>-CHOH-CH<sub>2</sub>OH, para -O-CH<sub>2</sub>CH<sub>2</sub>-O-tetrahydropyran-2-yl, para -O-CH<sub>2</sub>CHOH-CH<sub>2</sub>-O-glucuronide, para -O-CH<sub>2</sub>CH<sub>2</sub>OH, para -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>4</sub>-CH<sub>3</sub>, para -O-CH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub>, para -O-CH<sub>2</sub>-(CHOC(=O)CH<sub>3</sub>)-CH<sub>2</sub>-OC(=O)CH<sub>3</sub>, para -O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>2</sub>-CH<sub>3</sub>, -OCH<sub>2</sub>-CHOH-CHOH-CH<sub>2</sub>OH, para -CH<sub>2</sub>OH, para -CO<sub>2</sub>CH<sub>3</sub>, para -SO<sub>3</sub>H, para -O-glucuronide, para

$$-$$
O $+$ CH<sub>2</sub> $+$  $+$ O $+$ CH<sub>2</sub> $+$ R<sup>7</sup> $R$ 7

and

para

```
194. (Original) The compound of Claim 193, wherein
 X is chloro or bromo;
 Y is -N(R^7)_2;
 R^1 is hydrogen or C_1-C_3 alkyl;
 R^2 is hydrogen or C_1-C_3 alkyl;
 R<sup>3</sup> is a group represented by formula (A);
 R<sup>4</sup> is hydrogen, a group represented by formula (A), or lower alkyl;
 at most three R<sup>6</sup> are other than hydrogen as defined above; and
 at most three R<sup>L</sup> are other than hydrogen as defined above.
 195. (Original) The compound of Claim 194, wherein
R<sup>4</sup> is hydrogen:
at most one R<sup>L</sup> is other than hydrogen as defined above; and
at most two R<sup>6</sup> are other than hydrogen as defined above.
196. (Original) The compound of Claim 195, wherein
X is chloro or bromo;
Y is -N(R^7)_2;
R^1 is hydrogen or C_1-C_3 alkyl;
R<sup>2</sup> is hydrogen or C<sub>1</sub>-C<sub>3</sub> alkyl;
R<sup>3</sup> is a group represented by formula (A):
R<sup>4</sup> is hydrogen, a group represented by formula (A), or lower alkyl;
at most three R<sup>6</sup> are other than hydrogen as defined above; and
```

at most three R<sup>L</sup> are other than hydrogen as defined above.

197. (Original) The compound of Claim 196, wherein  $R^4$  is hydrogen; at most one  $R^L$  is other than hydrogen as defined above; and at most two  $R^6$  are other than hydrogen as defined above.

198. (Original) A pharmaceutical composition, comprising the compound of Claim 125 and a pharmaceutically acceptable carrier.

199. (Currently Amended) A composition, comprising: the compound of Claim 125; and a P2Y2 receptor agonist inhibitor.

200. (Original) A composition, comprising: the compound of Claim 125; and a bronchodilator.

201. (Original) A method of blocking sodium channels, comprising contacting sodium channels with an effective amount of the compound of Claim 125.